



## Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

# Stock Isuzu NPR-HD NF3 w/ 16' Supreme Body

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL



Thank you for the opportunity to provide you with the following quotation on a new Isuzu truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

## Standard Equipment

### Mechanical

Truck Application

GVWR, 14500 lbs (6577 kg) capacity

4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover.

Air Cleaner, Dry Paper single element (Donaldson brand). Air cleaner canister standard with air restriction gauge.

Alternator, 140 AMP with integral regulator

Battery, Dual 12-V maintenance free, 750 CCA each

Transmission, Automatic, Aisin A465 6-speed. Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539

Rear wheel drive

Front GAWR, 5360 lbs (2431 kg) capacity

Front Axle, Reverse Elliot "I"-beam rated at 6830 lbs. (3098 kg). Includes integral hydraulic power steering. Ratio 18.8-20.9:1

Front Suspension, 6830 lbs. (3098 kg) capacity. Semi-elliptical steel alloy tapered leaf springs. Includes shock absorbers and stabilizer bar.

Front Wheels, 16" x 6", 6-hole disc, painted white

Front Tires, 215/85R16E (10 ply) tubeless radial, all season

Rear GAWR, 9880 lbs (4481 kg) capacity

Rear Axle, R040, Full-floating single-speed, 11,020 lbs. (4999 kg) capacity with oil lubricated rear wheel bearings

Rear Axle Ratio, 4.56:1

Rear Suspension, 9880 lbs. (4481 kg) capacity. Semi-elliptical main and auxiliary multi-leaf springs. Includes shock absorbers.

Rear Wheels, 16" x 6", 6-hole disc, painted white

Rear Tires, 215/85R16E (10 ply) tubeless radial, all season

Wheelbase, 150" (381.0 cm), includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu. in. and RBM 316,800 lb-ft/in per rail.

Fuel Tank, 30-gallon (113.6L) rectangular fuel tank. Mounted between frame rail through the rail fuel fill. Fuel water separator with dash mounted warning light.

Brake System, Dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

## Mechanical

Exhaust Brake, vacuum operated

Exhaust System, Single horizontal with DPF (Diesel Particulate Filter)

## Exterior

Paint Scheme, Solid

Cab Mounts, All steel low cab forward, BBC 70.7 in. 45 deg. mechanical tilt with torsion assist

Daytime running lamps

Windows, Tinted glass

Mirrors, Dual cab mounted exterior with integral convex mirror

Windshield Wipers, Intermittent wet-arm

## Entertainment

AM/FM/CD stereo radio

## Interior

Multi-Information Display (MID) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The MID provides fuel economy reporting by average, instant, and trip.)

Isuzu Vehicle Health Report (Standard on all N-Series diesel trucks, exclusive to Isuzu, monitors the trucks performance, and driver behavior. Reports provide detailed information on engine operation, braking, emissions, fuel economy, acceleration & deceleration frequency, idling, and speed history. Ask your Isuzu dealer to provide you with an Isuzu Vehicle Health Report at your next service.)

Tricot cloth covered reclining highback driver seat with single two occupant fold down passenger seat

Floor mats

Tilt and telescoping steering column

Cruise control

Power windows & door locks

## Safety-Mechanical

4 channel anti-lock brake system

Daytime running lamps

EBD (Electronic Brake Distribution)

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

---

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

---

## WARRANTY

Basic Years: 3  
Basic Miles/km: Unlimited  
Drivetrain Years: 3  
Drivetrain Miles/km: Unlimited  
Corrosion Years: 4  
Corrosion Miles/km: Unlimited  
Frame Rail Years: 3  
Frame Rail Miles/km: Unlimited  
Frame Rail Note: 3 Years to 5 Years/Unlimited Parts and Labor have a 50% charge

---

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

## Window Sticker

### SUMMARY

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

MSRP:\$52,124.00

Interior:No color has been selected.

Exterior 1:Arc White

Exterior 2:No color has been selected.

4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control.

Transmission, automatic, Aisin A465 6-speed.

### OPTIONS

CODE	MODEL	MSRP
NF354	2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL	\$52,124.00
<b>OPTIONS</b>		
005	Rear axle ratio, 4.56:1	Inc.
34C	Very Dark Pewter, Tricot cloth seat trim	Inc.
729	Arc White	\$0.00
C60	Air conditioning	\$1,272.00
I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control.	Inc.
I3H	DEF Fill Charge	\$10.00
I5H/I34	Rear tires, 215/85R16E (10 ply) tubeless radial, all season	Inc.
I5H/I69	Front tires, 215/85R16E (10 ply) tubeless radial, all season	Inc.
I66	Engine block heater (120V 600W)	\$80.00
I6E	12" cross-member spacing in lieu of 16" spacing (16' body)	\$120.00
IB1	Wheelbase, 150" (381.0 cm)	Inc.
IF6	Fire extinguisher & triangle kit mounted in rear organizer	\$88.00
IR7	Transmission, automatic, Aisin A465 6-speed.	Inc.
IS0	Heated mirrors	\$104.00
IX2	Rear body dome lamp switch	\$24.00

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

---

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

---

NF354	Custom/base model (SEO)	\$0.00
RQ2	Truck application	Inc.
S11	Supreme value pak van body program hardwood floor/plywood sides/tie rings, 150" wheelbase, 16' x 96" x 85" body size	\$8,660.00
UZF	Back up alarm	\$112.00
YF5	50 State Emissions, including California	Inc.
ZY1	Solid paint	Inc.
<b>SUBTOTAL</b>		<b>\$62,594.00</b>
	Adjustments Total	\$0.00
	Destination Charge	\$1,125.00
	<b>TOTAL PRICE</b>	<b>\$63,719.00</b>

---

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NPR HD DSL REG AT (NF354) 150" WB WHITE CAB IBT AIR PWL

## Quote Worksheet

	<b>MSRP</b>
Base Price	\$52,124.00
Dest Charge	\$1,125.00
Adjustments	\$0.00
Total Options	\$10,470.00
<b>Subtotal</b>	<b>\$63,719.00</b>
Dealer Prep	\$250.00
<b>Subtotal Pre-Tax Adjustments</b>	<b>\$250.00</b>
Less Customer Discount	(\$12,569.00)
<b>Subtotal Discount</b>	<b>(\$12,569.00)</b>
Trade-In	\$0.00
Cash Discount ILO Isuzu Finance	(\$1,250.00)
<b>Subtotal Trade-In</b>	<b>(\$1,250.00)</b>
<b>Taxable Price</b>	<b>\$50,150.00</b>
Sales Tax	\$0.00
<b>Subtotal Taxes</b>	<b>\$0.00</b>
<b>Subtotal Post-Tax Adjustments</b>	<b>\$0.00</b>
<b>Total Sales Price</b>	<b>\$50,150.00</b>

### Comments:

24 Month / 60,000 Mile Maintenance Plan Included  
MD Taxes, Title and Tags Not Included

\_\_\_\_\_  
Dealer Signature / Date

\_\_\_\_\_  
Customer Signature / Date

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.