



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

Stock Isuzu NRR NU4

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL



Thank you for the opportunity to provide you with the following quotation on a new Isuzu truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

Standard Equipment

Mechanical

Truck Application

GVWR, 19500 lbs (8845 kg) capacity

4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbo charged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover.

Air Cleaner, 11 in. diameter Dry Paper single element. (Donaldson brand) Air cleaner canister standard with air restriction gauge. The air cleaner snorkel is incorporated into the back of the cab and incorporates a resonator.

Alternator, 140 AMP with integral regulator

Battery, Dual 12-V maintenance free, 750 CCA each

Transmission, Automatic, Aisin A465 6-speed. Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539

Rear wheel drive

4.75-gallon cooling system

Front GAWR, 7275 lbs capacity

Front Axle, Reverse Elliot "I"-beam rated at 7,275 lbs. (3300 kg). Includes integral hydraulic power steering. Ratio 18.8-20.9:1

Front Suspension, 8440 lbs. (3828 kg) capacity. Semi-elliptical steel alloy tapered leaf springs. Includes shock absorbers and stabilizer bar.

Front Wheels, 19.5" x 6", 6-hole disc, painted white

Front Tires, 225/70R19.5F (12 ply) tubeless Radial, all season tread

Rear GAWR, 13660 lbs (6196 kg) capacity

Rear Axle, Full-floating single-speed, 14550 lbs. (6600 kg) capacity with oil lubricated rear wheel bearings

Rear Axle Ratio, 5.571:1

Rear Suspension, 14550 lbs. (6600 kg) capacity. Semi-elliptical steel alloy multi-leaf springs. Includes shock absorbers.

Rear Wheels, 19.5" x 6", 6-hole disc, painted white

Rear Tires, 225/70R19.5F (12 ply) tubeless Radial, all season tread

Wheelbase, 176" (447.0 cm), includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu.in. and RBM 316,800 lb-ft/in per rail.

Fuel Tank, 30-gallon (113.6L) rectangular fuel tank. Mounted in frame rail behind rear axle. Fuel water separator with indicator light.

Brake System, Dual circuit, hydro-boost hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

Mechanical

Exhaust Brake, Butterfly valve type

Exhaust System, Single horizontal with DPF (Diesel Particulate Filter)

Exterior

Paint Scheme, Solid

Hexapod cab

Cab Mounts, All steel low cab forward, BBC 70.7 in. (179.6 cm) 45 deg. mechanical tilt with torsion assist

Daytime running lamps

Windows, Tinted glass

Mirrors, Dual cab mounted exterior with integral convex mirror

Windshield Wipers, Intermittent wet-arm

Interior

Multi-Information Display (MID) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The MID provides fuel economy reporting by average, instant, and trip.)

Isuzu Vehicle Health Report (Standard on all N-Series diesel trucks, exclusive to Isuzu, monitors the trucks performance, and driver behavior. Reports provide detailed information on engine operation, braking, emissions, fuel economy, acceleration & deceleration frequency, idling, and speed history. Ask your Isuzu dealer to provide you with an Isuzu Vehicle Health Report at your next service.)

AM/FM/CD stereo radio

Tricot cloth covered reclining highback driver seat with single two occupant fold down passenger seat

Floor mats

Tilt and telescoping steering column

Cruise control

Power windows & door locks

Overhead storage shelf

Safety-Mechanical

4 channel anti-lock brake system

Daytime running lamps

EBD (Electronic Brake Distribution)

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

WARRANTY

Basic Years: 3
Basic Miles/km: Unlimited
Drivetrain Years: 3
Drivetrain Miles/km: Unlimited
Corrosion Years: 4
Corrosion Miles/km: Unlimited
Frame Rail Years: 3
Frame Rail Miles/km: Unlimited
Frame Rail Note: 3 Years to 5 Years/Unlimited Parts and Labor have a 50% charge

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

Window Sticker

SUMMARY

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

MSRP:\$59,396.00

Interior:No color has been selected.

Exterior 1:Arc White

Exterior 2:No color has been selected.

4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbo charged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control.

Transmission, automatic, Aisin A465 6-speed.

OPTIONS

CODE	MODEL	MSRP
NU454	2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL	\$59,396.00
OPTIONS		
011	Rear axle ratio, 5.571:1	Inc.
34C	Very Dark Pewter, Tricot cloth seat trim	Inc.
729	Arc White	\$0.00
C60	Air conditioning	\$1,272.00
FNW	Wheelbase, 176" (447.0 cm)	Inc.
I1B	4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbo charged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control.	Inc.
I3H	DEF Fill Charge	\$10.00
I5H/I34	Rear tires, 225/70R19.5F (12 ply) tubeless radial, all season tread	Inc.
I5H/I69	Front tires, 225/70R19.5F (12 ply) tubeless radial, all season tread	Inc.
I66	Engine block heater (120V 600W)	\$80.00
IF6	Fire extinguisher & triangle kit mounted in rear organizer	\$88.00
IL9	Provision for power-take-off	\$48.00
IR7	Transmission, automatic, Aisin A465 6-speed.	Inc.
IX2	Rear body dome lamp switch	\$24.00
NU454	Custom/base model (SEO)	\$0.00

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

RQ2	Truck application	Inc.
YF5	50 State Emissions, including California	Inc.
ZY1	Solid paint	Inc.
SUBTOTAL		\$60,918.00
Adjustments Total		\$0.00
Tire Weight Tax		\$2.65
Destination Charge		\$1,125.00
TOTAL PRICE		\$62,045.65

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



Hickory Isuzu Truck, Inc.

Rob Preston Jr | 410-838-4200 | rpreston@hickoryinternational.com

2016 Isuzu NRR DSL REG AT (NU454) 176" WB WHITE CAB IBT AIR PWL

Quote Worksheet

	MSRP
Base Price	\$59,396.00
Dest Charge	\$1,125.00
Adjustments	\$0.00
Total Options	\$1,522.00
Subtotal	\$62,043.00
Dealer Prep	\$250.00
Subtotal Pre-Tax Adjustments	\$250.00
Less Customer Discount	(\$11,543.00)
Subtotal Discount	(\$11,543.00)
Trade-In	\$0.00
Cash Discount ILO Isuzu Finance	(\$1,250.00)
Subtotal Trade-In	(\$1,250.00)
Taxable Price	\$49,500.00
Sales Tax	\$0.00
Subtotal Taxes	\$0.00
Subtotal Post-Tax Adjustments	\$0.00
Total Sales Price	\$49,500.00

Comments:

24 Month / 60,000 Mile Maintenance Plan Included
MD Taxes, Title and Tags Not Included

Dealer Signature / Date

Customer Signature / Date

Current report content is based on Data Version 1195, Feb 14, 2016 8:44:00 PM PST. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.